Reply to Office Action of January 25, 2007

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method of repairing scratches in digital images, the method comprising:

calculating a brightness difference between a selected pixel and one of neighboring pixels surrounding the selected pixel;

counting the number of abnormal pixels among the neighboring pixels;

designating as particular pixels the selected pixels surrounded by the abnormal pixels, wherein the number of abnormal pixels is more than a predetermined value;

dividing an area surrounding each particular pixel into a plurality of blocks, and calculating a brightness difference between the blocks;

finding out scratch pixels from the particular pixels based on brightness difference between blocks; and

subdividing and filling up an area surrounded by scratch pixels,

wherein the step of calculating brightness difference between the blocks includes estimating a mean square error of each block which has a plurality of pixels, and calculating the <u>difference</u> between the mean square errors.

2. (Original) The method of claim 1, wherein a neighboring pixel is an abnormal pixel when an absolute value of the brightness difference between the neighboring pixel and its corresponding selected pixel is greater than an abnormal standard.

Application No. 10/659,265 Amendment dated June 15, 2007

Reply to Office Action of January 25, 2007

Page 3 of 6

Docket No.: 5418-0103PUS1

3. (Original) The method of claim 1, wherein the particular pixels include scratch pixels

and edge pixels.

4. (Original) The method of claim 1, wherein the area surrounding each particular pixel is

divided into 4 blocks.

5. (Original) The method of claim 1, wherein the area surrounding each particular pixel is

divided into 3 blocks.

6. (Original) The method of claim 1, wherein the area surrounding each particular pixel is

divided into 8 blocks.

7. (Cancelled)

8. (Currently Amended) The method of elaim 7 claim 1, wherein if the number of blocks

is 4, then the difference between the mean square errors is obtained according to the following

expression:

Dif = MaxVar - Mid1Var - Mid2Var + MinVar

wherein Dif is a difference of the mean square errors, MaxVar is a maximum mean

square error, MinVar is a minimum mean square error, and Mid1Var and Mid2Var are middles

among the four mean square error values.

Application No. 10/659,265 Docket No.: 5418-0103PUS1

Amendment dated June 15, 2007

Reply to Office Action of January 25, 2007

• •

9. (Currently Amended) The method of elaim 7claim 1, wherein if the number of blocks

is 3, then the difference between the mean square errors is obtained according to the following

expression:

Dif = MaxVar - 2MidVar + MinVar,

wherein Dif is a difference of the mean squure errors, MaxVar is a maximum mean

square error, MinVar is a minimum mean square error, and MidVar is a middle among the three

mean square error values.

10. (Currently Amended) The method of claim 1, wherein at the step of finding out

scratch pixels from the particular pixels based on brightness difference between blocks, if the

particular pixel has a Dif smaller than a difference standard, then the particular pixel is a scratch

pixel, otherwise the particular pixel is a-an edge pixel.

Page 4 of 6